




FIG. 1A is a perspective view of a system 100 in a simulated environment 101. The system 100 includes a plurality of rectangular blocks 110, 115, 130, 135, 140, and 150. The blocks 110, 115, 130, 135, and 140 are arranged in a grid-like pattern. The block 150 is a smaller block. A person 155 is standing next to the block 150. The person 155 is holding a device 156. The device 156 is connected to the block 150 by a cable 157. The system 100 is used for simulating a physical environment.




**Fig. 1A**




**Fig. 1B**




**Fig. 2**




**Fig. 3**




**Fig. 4**




**Fig. 5**




**Fig. 6**




**Fig. 7**



**Fig. 8**




**Fig. 9**




**Fig. 10**






**Fig. 11**




**Fig. 12**



**Fig. 13**

FIG. 14 is a schematic diagram of a system 800 for providing a user with a visual representation of a set of data. The system 800 includes a user interface 810 and a data source 820. The user interface 810 is configured to display a visual representation of the data from the data source 820. The visual representation is a grid of cells, where each cell represents a data point. The grid is organized into rows and columns. The rows are labeled with data points, and the columns are labeled with data points. The user interface 810 is configured to display the grid in a way that allows the user to interact with the data. For example, the user can click on a cell to view the data point represented by that cell. The user interface 810 is also configured to display a legend that explains the meaning of the data points. The data source 820 is configured to provide the data to the user interface 810. The data source 820 can be a database, a file, or any other source of data. The system 800 is configured to provide a user with a visual representation of a set of data, where the visual representation is a grid of cells, and each cell represents a data point. The grid is organized into rows and columns. The rows are labeled with data points, and the columns are labeled with data points. The user interface 810 is configured to display the grid in a way that allows the user to interact with the data. For example, the user can click on a cell to view the data point represented by that cell. The user interface 810 is also configured to display a legend that explains the meaning of the data points. The data source 820 is configured to provide the data to the user interface 810. The data source 820 can be a database, a file, or any other source of data.



**Fig. 14**